

BRAVIA 4K Professional Displays

24/7 displays designed for business

43" – 85" BZ35-series

FW-43BZ35F FW-49BZ35F FW-55BZ35F FW-65BZ35F FW-75BZ35F FW-85BZ35F









TEOS

Control

Victoria Meeting Room

16:00 - 17:30 Corporate meeting

4K Next generation picture quality

Bring the incredible depth and quality of 4K resolution to your business with our BRAVIA 4K Professional Displays, now available in 43" – 85" screen sizes.

Superior displays designed for business

< Input

Portrait, advanced control, professional mode, optional interactive compatibility, 24/7 operation or an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 enhanced processor. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

Do more with our BRAVIA built-in solutions

Look no further with BRAVIA. Our new range features a number of fantastic built-in solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, TEOS Manage, TEOS Connect, TDM Digital Signage, Smart Automation System and the Applications Store, there's no need for any external devices or players.

Key Features

Round the clock display

With reliable 24/7 operation, BRAVIA BZ35 models enable you to deliver your message around the clock, with no need to switch off the display outside working hours to preserve panel life. What's more, BRAVIA outshines ordinary displays with a high 620 cd/m^{2*} brightness panel to ensure your visual communications always stand out, even in daylight or well-lit rooms, day and night.

Fantastic 16:9 4K resolution (3840 x 2160 pixels)

Our line-up can produce over 8 megapixels. That's four times the resolution of Full HD, for a level of realism audiences will almost want to reach out and touch.



Tools

Ultimate Picture Quality



4K X-Reality 🕮

16:9 4K resolution (3840 x 2160 pixels)

With over 8 million pixels, a 4K resolution screen offers four times the detail of Full HD. Combined with the ability to manage 4K 60P up to 18Gbps, it now produces a level of detail and realism beyond anything you've seen before.

4K X1 Enhanced Processor

Twice as powerful as our previous generation BRAVIA, the new 4K X1 Enhanced Processor enhances contrast, clarity and colour to the highest level. Clarity improves with intelligent upscaling and noise reduction, colours are individually enhanced, and the dynamic range of contrast is optimised frame by frame.

Improve content quality with Reality Creation

This high picture quality engine takes Full HD content much, much closer to 4K Ultra HD quality. Whether it's a presentation to clients or engaging digital signage, you'll get the best picture possible.



Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.



Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.

Versatile control options

Easily control your BRAVIA remotely – including on/off, input signal select and adjust volume – via IP or via RS-232C. For quick operation in meetings or for digital signage, it takes just one click to change to your chosen default settings.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn the flat panel on /off.

Portrait and 24/7 capability

Use the BRAVIA Display in portrait and 24/7 operation for greater signage impact.

Professional Mode

There's now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points for greater interaction. Contact your local Sony dealer for more information.

Bring the incredible depth and quality of 4K resolution to your business

Ideal for:

Corporate presentation Digital signage Video conferencing Education











Do more with BRAVIA built-in solutions

Built-in Meeting-Room solution

13:00

Thursday 29th January

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.

Built-in mirroring (TEOSConnect)*

Great for collaborative working, TEOS Connect allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

Built-in workplace management solution (TEOSManage)*

Sony BRAVIA Professional Displays are fully compatible with TEOS Manage. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.

Built-in Digital Signage Platform^{*} (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications. *Chargeable option

BZ35-series Specifications

		FW-43BZ35F	FW-49BZ35F	FW-55BZ35F	FW-65BZ35F	FW-75BZ35F	FW-85BZ35F	
General	Screen size (diagonal)	43''	49"	55''	65''	75''	85''	
features	Brightness (cd/m ²)***		cd/m ²			cd/m ²		
	Native constrast ratio	3,5	3,500:1 4,000:1					
	Dynamic contrast ratio		-	over 1	million			
	Response time (ms)	5	8	4K (384	5		6	
	Display resolution Compatible with HDR							
	Aspect ratio	Yes (HDR10, HLG)						
	Portrait compatibility	16:9 Yes						
Dicplay	Dimming type							
Display features	Display device	Frame Dimming LCD						
ieatures	Backlight type	Edge LED						
	Operating system	Android 7.0						
	Processor	XI						
	Operation time	24/7						
Video specs	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9						
	4:3 Default	Yes						
	Video Processing	4K X-Reality PRO						
	Motionflow	Motionflow XR 800Hz (Native 100Hz)						
	Triluminos Viewing angle (Right/Left/Up/Down)	Yes 178 (89/89/89)						
	Video Signal (HDMI)	1/8 (89/89/89/89) 4096x2160p(24,60Hz), 3840x2160p(24,30,60Hz), 1080p(30,60Hz), 1080i(60Hz), 720p(30,60Hz), 720/24p, 480p, 480i						
	4K 60P quality format	4090x2100p(24,00Hz), 3840x2100p(24,50,00Hz), 1060p(50,00Hz), 1060724), 1060724), 120p(50,00Hz), 120724), 480p, 480p Up to 18Gbps:4K 60p 4:4:4(8bit), 4:2:2(8,10,12bit), 4:2:0(8,10bit) HDR included for HDMI 1/2/3/4						
Audio anosa	Speaker position	Down, Firing						
Audio specs Professional features	Audio Power Output	10W + 10W						
	Invisible speaker	Yes						
	Professional Hidden Mode	Yes						
	HDMI auto wake-up	Yes						
	HTML5 platform	Yes						
	Multicast / IPTV		Yes (UDP/RTP)					
	Compatible with TDM Digital Signage	Yes						
	Available storage	16 GB						
	Compatible TDM content	Customised design, text, pictures, videos, YouTube, traffic, weather, public information, Facebook, Twitter, poweroint and more.						
Network specs	Wi-Fi Direct	Yes						
	Wi-Fi Certified DLNA				es Notwork Rondoror			
	Firmware update	Network Client / Network Renderer Yes (network or USB)						
	Internet Browser	Yes (Network of USB) Yes (Opera)						
	Wireless LAN	Yes (Opera) Integrated						
Convenience	USB HDD REC	Yes						
features		MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC EG4,HEVC/AVI:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,						
	USB Play (contents	Mit Editiviti Edit Sinti Edit Vinit Edit						
	On screen clock	Yes						
	Sleep timer	Yes						
	On/Off timer	Yes						
	Google Cast	Yes						
Control specs	IP Control	Yes						
	RS-232C Control	Yes (jack 3.5)						
	HDMI CEC HDCP	Yes 2.2 (for HDMI1/2/3/4)						
Inputs and outputs	RF Connection Input(s)	2.2 (IOLHDWII/2/3/4)						
	Composite Video Input(s)	1 (Rear Hybrid w/Component)						
	Component Video (Y/Pb/Pr) Input(s)	1 (Rear Hybrid W/Composite)						
	HDMI [™] Connection(s) (Total)	4(3Side/1Rear)						
	Analog Audio Input(s) for HDMI (Total)	1(Rear) 1(Rear) 1(Rear) 1(Rear) 1(Rear)						
	Digital Audio Output(s)	1 (Rear) (Rear) (Rear)						
	Audio Out	1 (Side/Hybrid w/HP and Subwoofer Out)						
	USB	3 (side)						
	Ethernet Connection(s)	1 (side)						
Design	Finish (Surface Color)				ack			
features	Table Top Stand VESA® Hole Spacing Compatible	Vac (10, 0, 20, 0,)	Voc (20.0-20.0)		embly required)	Voc (40.0-20.0)	Voc (40.0.40.0	
	Light Sensor	Yes (10.0x20.0 cm)	Yes (20.0x20.0 cm)	Yes (30.0x20.0 cm)	Yes (30.0x30.0 cm)	Yes (40.0x30.0 cm)	Yes (40.0x40.0 cm)	
Environment	Energy Label	В		4 4	A+	A+	A	
specs	Screen size (measured diagonally)	43''	49"	55"	65"	75"	85"	
	Power Consumption (in Standby)	· · · · · · · · · · · · · · · · · · ·			iow			
	Power Consumption (in Operation)	76W	88W	103W	120W	149W	233W	
	Lead content	Yes						
	Mercury content (mg)	0.0						
	Dynamic Backlight Control	Yes						
	Power Saving Mode / Back Light Off Mode		denter.	Y	es a /c			
	AC Power Input		dapter	1004-71 0 5 0/1 11		lear)	1011-100-0-72	
Measurements	Display Only (WxHxD)	96.5x56.9x5.8(1.69) cm			145.0x83.6x5.2(1.41) cm			
	Display with Stand (WxHxD) Package Carton (WxHxD)	96.5x62.8x27.9 cm 107.0 x 69.5 x 14.8 cm	109.8x70.3x27.9 cm 118.8 x 77.6 x 14.8 cm	123.1x77.6x31.5 cm 133.2x81.7x15.8 cm	145.0x90.0x31.5 cm 156.5 x 94.6 x 17.9 cm	167.3x103.1x37.1 cm 188.4 x 108.3 x 18.8 cm	191.1x117.6x42.9 cm 208.2 x 123.3 x 36.9 cm	
	Display Only	107.0 x 69.5 x 14.8 cm	13.2 Kg	133.2X81.7X15.8 cm 19.1 Kg	25.6 Kg	38.9 Kg	208.2 x 123.3 x 36.9 cr 44.1 Kg	
Weight	Display with Stand	11.3 Kg	13.7 Kg	20 Kg	25.5 Kg	40.1 Kg	44.1 Kg 46.2 Kg	
	Package Carton	16 Kg	19 Kg	26 Kg	35 Kg	53 Kg	64 Kg	
Optional accessories	TDM Digital Signage 1-year license	10 kg 13 kg 20 kg 33 kg 33 kg 04 kg TDM-DS1Y						
	TDM Digital Signage 3-years license	TDM-DS3Y						
	TEOS Manage Control license				-CO10			
	TEOS Manage Meeting Room license		TEM-COIO					
	TEOS Manage Signage license				-DS10			
	TEOS Connect Mirroring license		TEC-SC100					
	10 point IR touch overlay	TO-1343-IR10	TO-1349-IR10	TO-1355-IR10	TO-1365-IR10	TO-1375-IR10	TO-1385-IR10	
		TO-1343-CA10	TO-1349-CA10	TO-1355-CA10	TO-1365-CA10	TO-1375-CA10	-	
	10 point Capacitive touch overlay		FC-1349/W	FC-1355/W	FC-1365/W	FC-1375/W	FC-1385/W	
	10 point Capacitive touch overlay White cover	FC-1343/W				FC-1375/WO	EC 1205 (MIO	
		FC-1343/W FC-1343/WO	FC-1349/WO	FC-1355/WO	FC-1365/WO	FC-15757 WO	FC-1385/WO	
	White cover Wood cover		FC-1349/WO	FC-1355/WO		SU-WL450/PSE	FC-1385/WO	
	White cover Wood cover Wallmount bracket			·	SU-WL450/PSE		-	
	White cover Wood cover Wallmount bracket VGA to HDMI cable		FC-1349/WO	CAB-VG	SU-WL450/PSE GAHDMI1	SU-WL450/PSE	-	
	White cover Wood cover Wallmount bracket VGA to HDMI cable RS232 jack cable		FC-1349/WO	CAB-VG CAB-	SU-WL450/PSE AHDMI1 RSJA1	SU-WL450/PSE		
Service and Warranty	White cover Wood cover Wallmount bracket VGA to HDMI cable		FC-1349/WO	CAB-VG CAB- 3 Years with Adv	SU-WL450/PSE GAHDMI1	SU-WL450/PSE	-	

Optional accessories



CAB-VGAHDMI1 to HDMI cable



TEOS Connect license TEC-SC100



TDM digital signage software licenses TDM-DS1Y: 1 year TDM-DS3Y: 3 years



Frontcover accessories



Touch overlavs

For full features visit pro.sony/products/professional-displays

© 2018 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony.eu

Follow us on Twitter at @SonyProEurope / www.twitter.com/sonyproeurope

Distributed b	y
---------------	---



CAB-RSJA1 RS232 jack cable





SU-WL450/PSE Wall Mount





TEOS Manage licenses TEM-CO10 TEM-MR10 TEM-DS10





PrimeSupport

Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

All Sony BRAVIA Professional Displays

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- Receive a completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport Pro



SONY